

## LED LIGHT KIT INSTRUCTIONS

1. Clean the areas you wish to install the light strips on using alcohol wipes or a paper towel moistened with rubbing alcohol.
2. Remove any body panels as needed.
3. The light strips have about 18" of wire length, so we recommend laying the light strips out similar to how you want to install them, to ensure the light strip wire reaches close to the wire octopus and battery area of your unit.
4. Once you have confirmed the light strips can reach the battery area and wire octopus, remove the backing on the strips and press firmly to install onto your unit.
  - a. If you are having trouble getting the adhesive to stick, try cleaning the area again with alcohol wipes or a paper towel moistened with rubbing alcohol.
  - b. If the adhesive still will not hold the light strips in place, you can use double-sided foam mounting tape to adhere the strips.



5. After installing the light strips, you can use electrical tape to hold the wires in place.



6. Connect the wire octopus connectors to each light strip's connector.



7. Tuck the wire octopus into the battery cavity or wherever space allows, leaving the octopus' connector easily accessible and near the batteries.



8. Attach the receiver wires to the batteries – red wire to red (positive) terminal, black wire to black (negative) terminal. The white ground wire remains unused & unconnected.
  - a. If your unit has tab terminal batteries, you can slide the bare wire end through the eyelet on the battery terminal.




9. Slide the battery wire spades or connectors over the battery terminals, holding the light kit receiver wire in place until the spade completely covers the wire and the wire remains snug against the terminal.





10. Attach the receiver connector to the octopus connector.



11. Gently tuck the light kit receiver and all its wires into battery cavity or wherever space allows.



12. Reattach any body panels, as needed.



13. Remove the protective plastic tab from the remote battery compartment to allow use of the remote.

14. To turn the lights on, press the “D” button on the included remote. Press “D” again to turn the lights off.



15. To change the color of the lights, press the “A” button to cycle through the available colors.

16. Press the “C” button to activate the gradient feature.

17. Press the “B” button to activate the strobe feature.